

1997

Aguado, R. & Rey, J. (1997). Palaeogeographic context of the Burdigalian basins northeast of Velez-Rubio (External Zones of the Betic Cordilleras, SE Spain). *Bull. Soc. geol. Fr.* 168, 1-25.

Caracuel, J.E., Olóriz, F. & Sarti, C. (1997). Environmental evolution during the Late Jurassic at Lavarone (Trento Plateau, Italy). *Palaeogeography, Palaeoclimatology, Palaeoecology* 135, 163-177.

Checa, A. & Cadee, G.C. (1997). The ligament of *Mya arenaria* (Myoidea) revisited. *J. Mar. Biol. Ass.* 77, 1231-1233

Checa, A. & Cadee, G.C. (1997). Hydraulic burrowing in the bivalve *Mya arenaria* *Limnaeus* (Myoidea) and associated ligamental adaptations. *Revista, J. Moll. Stud.* 63, 157-171.

Checa, A. & Jiménez-Jiménez, A.P. (1997). Regulation of spiral growth in planorbid gastropods. *Lethaia* 30, 257-269.

Checa, A., Company, M., Sandoval, J. & Weitschat, W. (1997). Covariation of morphological characters in the Triassic ammonoids *Czekanowskites rieberi*. *Lethaia* 29, 225-235

Linares, A., Olóriz, F. y Villaseñor, A.B. (1997). Presencia de *Tropidoceras flandriini* (Dumortier) en Pozo Serna, Sonora (México). *Revista Española de Paleontología*, 12(2), 257-264.

Olóriz, F., Palmqvist, P. & Pérez-Claros, J.A. (1997). Shell features, main colonized environments, and fractal analysis of sutures in Late Jurassic ammonites. *Lethaia* 30, 191-204.

Olóriz, F., Villaseñor, B. & González-Arreola, C. (1997). Factors controlling Upper Jurassic ammonite assemblages in North-Central Mexico. *Lethaia* 30, 337-351.

1998

Checa, A. & Jiménez-jiménez, A.P. (1998). Constructional morphology, origin, and evolution of the gastropods operculum. *Paleobiology* 24, 1, 109-132.

Ettachfini, M., Company, M., Rey, J., Taj-Eddine, K. & Tavera, J.M. (1998). Le Valanginien du basin de Safi (Maroc Atlantique) et sa faune d' ammonites. Implications paleogeographiques. *C.R. Acad. Sci. Paris* 327, 319-325.

Marques, B., Olóriz, F. & Rodríguez-Tovar, F.J. (1998). La limite Oxfordien/Kimmeridgien établie par une espèce index d' amontes (*Sutneria*) (Algarbe, Portugal). *C.R. Acad. Sci. Paris* 326, 641-645.

Myzcynski, R., Olóriz, F. & Villaseñor, A.B. (1998). Revised biostratigraphy and correlations of the Middle-Upper Oxfordian in the Americas (southern USA, Mexico, Cuba, and northern Chile). *N. Jb. Geol.Palaont., Abh.* 207, 2, 185-206.

Olóriz, F. & Rodríguez-Tovar, F.J. (1998). Multifactorial control on deposition of epicontinental hemipelagic carbonates during the earliest Kimmeridgian (Prebetic Zone, southern Spain). *Sedimentary Geology* 119, 123-139.

Olóriz, F. & Westermann, G.E.G. (1998). The perisphinctid ammonite Sulaites n. gen. From the Upper Jurassic of the Indo-southwest Pacific. *Alcheringa* 22, 231, 240.

Olóriz, F., Marques, B. & Caracuel, J.E. (1998). The Middle-Upper Oxfordian of central Sierra Norte (Mallorca, Spain), and progressing ecostratigraphic approach in western Tethys. *Geobios* 31, 3, 319-336.

Olóriz, F. & Villaseñor, A.B. & González-Arreola, C. (1998). Re-evaluation of Procraspedites Spath, 1930 (Ammonitina) from the upper Kimmeridgian of Mexico. *Bull. Soc. geol. Fr.* 169, 2, 243-254.

1999

Aguado, R., Castro, J.M., Company, M. & De Gea, G.A. (1999). Aptian bio-events - and integrated biostratigraphic analysis of the Almadich Fm., Inner Prebetic Domain, SE Spain. *Cretaceous Research* 20, 663-683.

Caracuel, J.E. & Olóriz, F. (1999). Recent data on the Kimmeridgian-Tithonia boundary in the Sierra Norte of Mallorca (Spain), which notes on the genus Hybonoticeras Breistroffer. *Geobios* 32, 4, 575-591.

Housa, V., Krs, M., Prunner, P., Mann, O., Venhodova, D., Cecca, F., Nardi, Gi., Piscitello, M., Olóriz, F. & Tavera, J.M. (1999). Magnetostratigraphy and micropaleontology across the J/K boundary strata in the Tethyan Realm. *Geologica Carpathica* 50, 33.

Molina, J.M., O'Dogherty, L., Sandoval, J. & Vera, J.A. (1999). Jurassic radiolarites in a Tethyan continental margin (Subbetic, southern Spain), palaeobathymetric and bisotratigraphic considerations. *Palaeogeography, Palaeoclimatology, Palaeoecology* 150, 309-330.

Olóriz, F. & Villaseñor, A.B. (1999). New microconchiate Hybonoticeras from Mexico. *Geobios* 32, 4, 561-573.

Olóriz, F., Villaseñor, A.B., González-Arreola, C. & Westermann, G.E.G. (1999). Ammonite biostratigraphy and correlations in the late Jurassic - earliest Cretaceous La Caja Formation of north-central Mexico. (Sierra de Catorce, San Luis Potosí). In F. Olóriz and F. J. Rodríguez-Tovar (eds.) *Advancing Research on Living and Fossil Cephalopods*, p. 463-492, Plenum Press.

2000

Aguado, R., Company, M. & Tavera, J.M. (2000). The Berriasian/Valanginian boundary in the Mediterranean region, new data from the Caravaca and Cehegin sections, SE Spain. *Cretaceous Research* 21, 1-21.

Caracuel, J.E., Monaco, P. & Olóriz, F. (2000). Taphonomic tools to evaluate sedimentation rates and stratigraphic completeness in rosso ammonitico facies (epioceanic Tethyan Jurassic). *Riv- Ital. Paleont. Strat.* 106, 3, 353-368.

Caracuel, J.E., Olóriz, F. & Rodríguez-Tovar, F.J. (2000). Oxfordian biostratigraphy from the Lugar section (External Subbetic, southern Spain). *GeoResearch Forum* 6, 55- 64.

Checa, A. (2000). Remote biomimetic mineralization in divaricate ribs of *Strigilla* and *Solecurtus* (Tellinoidea, Bivalvia). *J. Moll. Stud.* 66, 457-466.

Checa, A. (2000). A new model for periostacum and shell formation in Unioidea (Bivalvia, Mollusca). *Tissue & Cell* 32, 5, 405-416.

Checa, A. & García-Ruiz, J.M. (2000). Discussion, the development of ammonoid septa, an epithelial invagination process controlled by morphogens or by viscous-fingering?. *Historical Biology* 14, 299-303.

De la Mora, A., Olóriz, F. & González-Arreola, C. (2000). "Authochthonous" bivalve assemblages and paleoecology interpretation in the Upper Jurassic-lowermost Cretaceous La Caja Formation from the Cañon de San Matías (Zacatecas, Mexico). *C.R. Acad. Sci. Paris* 331, 741-747.

Kullberg, J., Olóriz, F., Marques, B., Caetano, P.S. & Rocha, R.B. (2000). Flatt-pebble conglomerates. A local marker for sys-rift tectonics in the Sesimbra area (Lusitanian Basin, Portugal). *Sedimentary Geology* 139, 49-70.

O'Dogherty, L., Martín-Algarra, A., Gursky, H.J. & Aguado, R. (2000). The Middle Jurassic radiolarites and pelagic limestones of the Nieves Unit (Rondaide Complex, Betic Cordillera), basin starvation in a rifted marginal slope of the western Tethys. *Int. J. Earth Sci.* [in HTLM, on line 19 Oct.]

O'Dogherty, L. Sandoval, J. & Vera, J.A. (2000). Ammonite faunal turnover tracing sea-level changes during the Jurassic (Betic Cordillera, southern Spain). *Journal Geol. Soc. London* 157, 723-736.

Olóriz, F. (2000). Time-Averaging and long-term palaeoecology in microinvertebrate fossil assemblages with ammonites (Upper Jurassic). *Revue paleobiol.* 8, 123-140.

Olóriz, F. & Rodríguez-Tovar, F.J. (2000). Diplocraterion, A useful marker for sequence stratigraphy and correlation in the Kimmeridgian Jurassic (Prebetic Zone, Betic Cordillera, southern Spain). *Palaios* 15, 544-550.

Olóriz, F., Villaseñor, A.B. & González-Arreola, C. (2000). Geographic control on phenotype expression. The case of *Hybonoticeras mundulum* (Oppel) from the Mexican Altiplano. *Lethaia* 33, 157-174.

Olóriz, F., Villaseñor, A.B. & Gonzalez-Arreola, C. (2000). *Hybonoticeras mumdulum* (Oppel) from the Mexican Altiplano. A case of geographic control on phenotype expression. *Lethaia* 33, 157-174.

Olóriz, F., Villaseñor, A.B. & González-Arreola, C. (2000). Major lithostratigraphic Units in landoutcrops in north-central Mexico and the subsurface of the northern rim of the Gulf of Mexico Basin (Upper Jurassic-lowermost Cretaceous), a proposal for correlation of tectonic-eustatic sequences. *Jour. South Amer. Earth Sci.* 16, 119-142.

Pardo-Iguzquiza, E. & Rodríguez-Tovar, F.J. (2000). The permutation test as a non-parametric method for testing the statistical significance of power spectrum estimation in cyclostratigraphic research. *Earth Planet. Sci. Letters* 181, 175-189.

Pardo-Iguzquiza, E., Schwarzacher, W. & Rodríguez-Tovar, F. (2000). A library of computer program for assisting teaching and research in cyclostratigraphic analysis. *Computers & Geosciences* 26, 723-740.

Sandoval, J. & Schandler, R.B. (2000). The sonniniid ammonite *Euhoploceras* from the middle Jurassic of south-west England and southern Spain. *Palaeontology* 43, 3, 495-532.

Villaseñor, A.B., Olóriz, F. & Gonzalez-Arreola, C. (2000). Recent advances in Upper Jurassic (Kimmeridgian-Tithonian) ammonite biostratigraphy from North - Central Mexico based on new collected ammonite assemblages. *GeoResearch Forum* 6, 249- 262.