

2001

Aguado, R., Company, M., Sandoval, J., Tavera, J.M. (2001). Caracterización bioestratigráfica del límite Haueriviense-Barremiense en las Cordilleras Béticas. *Geotemas* 3(2), 127-130.

Arias, C., Company, M. & Vilas, L. (2001). La sedimentación de plataforma externa en el Cretácico Inferior de Oliva (Valencia). *Geotemas* 3(2), 143-146.

Castro, J.M., Company, M., de Gea, G. A., Aguado, R. (2001). Biostratigraphy of the Aptian-Middle Cenomanian platform to basin domain in the Prebetic Zone of Alicante, SE Spain, calibration between shallow water benthonic and pelagic scales. *Cretaceous Research* 22, 145-156.

Checa, A. & Rodríguez-Navarro, A. (2001). Geometric and crystallographic constraints determine the self-organization of shell microstructures in Unionidae (Bivalvia, Mollusca). *Proceedings of the Royal Society of London B: Biological section* 268, 771- 778.

Palmqvist, P., Olóriz, F. & Pérez Claros, J.A. (2001). La complejidad sutural en ammonites del Jurásico tardío, Restricciones morfoestructurales y marco ecológico. SEPAZ 5.2, Los fósiles y la Paleogeografía. XVII Jornadas de la Sociedad Española de Paleontología, M. Meléndez, Z. Herrera, G. Delvene & B. Azanza (Eds.), 424-433.

Pérez Valera, M., Company, M. (2001). El Valanginiense superior y Haueriviense inferior de la sierra de Cambrones (provincia de Murcia), bioestratigrafía y consideraciones paleogeográficas. *Geotemas* 3(2), 253-256.

Villaseñor, A. B. & Olóriz, F. (2001). Combined record of *Simocosmoceras* and *Simoceras* (Ammonitina) in Mexico. *International Conference on Paleobiogeography & Paleoecology*, Piacenza and Castell' Arquato, Italy, Abstracts. p.131-132.

2002

Cecca, F., Cresta, S., D'Arpa, C., Galácz, A., Goy, A., Enriques, M.H., Macchioni, F., Martínez, F., Meléndez, G., Olóriz, F., Pavia, G., Sarti, C., Sandoval, J. & Ureta, M. (2002). Revision of the Jurassic Ammonites of the Gemmellaro Collection. In, G. Pavia & S. Cresta (Sci. Coords.), C. D'Arpa (Ed. Coord.), *Quad. Mus. Geologico "G.G. Gemmellaro"* 6, 1-408, 242 text-Figs. Company, M., Sandoval, J., Tavera, J.M. (2002). Ammonite bioevents and zonation of the uppermost Hauerivian in the Betic Cordillera. *Documents du Laboratoire de Géologie de Lyon* 156, 83-84.

Olóriz, F., Linares, A., Goy, A., Sandoval, J., Caracuel, J.E., Rodríguez-Tovar, F.J. & Tavera, J.M. (2002). *The Betic Cordillera and Balearic Islands*, 235-253. Chapter 11, *The Jurassic*, M. Aurell, M. Meléndez & F. Olóriz (Coords.). In, W. Gibbons & T. Moreno (eds.). *The Geology of Spain*, 632pp. The Geological Society of London.

Olóriz, F. & Rodríguez-Tovar, F.J. (2002). Trace fossils and minor discontinuities in a marly-limestone rhythmite (Lower-Middle Kimmeridgian, Southern Spain). *Geobios* 35, 581-593.

Olóriz, F., Palmqvist, P. & Pérez-Clarós, J. (2002). Morphostructural constraints and phylogenetic overprint on sutural frilling in Late Jurassic ammonites. *Lethaia* 35, 158- 168.

Olóriz, F., Reolid, M. & Rodríguez-Tovar, F.J. (2002). Fossil assemblages, lithofacies and taphofacies for interpreting depositional dynamics in the epicontinental Oxfordian (Prebetic Zone, Betic Cordillera, southern Spain). *Palaeogeography, Paleoclimatology, Palaeoecology* 185, 53-75.

Olóriz, F., Reolid, M. & Rodríguez-Tovar, F.J. (2002). Taphonomic features in Upper Oxfordian ammonite assemblages (Bifurcatis Zone) from the Navalperal section (Internal Prebetic, Betis Cordillera). In, M. De Renzi, M. Pardo Alonso, M. Belinchón, E., Peñalver, P. Montoya & A. Márquez-Aliaga (Eds.), *Currents Topics on Taphonomy and Fossilization*, 215-222.

Olóriz, F., Rodríguez-Tovar, F.J., Reolid, M. & Moreno-Escámez, M^a.T. (2002). Análisis de facies y de asociaciones fósiles en sedimentos del Ofordiense Medio-Superior localizados al sur de la provincia de Albacete. *Sabuco, Inst. Estud. Albacetenses* 3, 169-223.

Pavia, G., Bovero, A., Lanza, R., Lozar, F., Martire, L. & Olóriz, F. (2002). The natural outcrops below the road to Fornazzo quarry. In, B1 - The Trapanese Domain, L. Martire & G. Pavia (coords.), *The Geology of Sicily, an introduction*, Catalano, R., Lo Cicero, G. & Sullo, A. In, *General Field Trip Guidebook*, M. Santantonio (ed.), *International Symposium on the Jurassic System*, M. Santantonio (ed.). Univ. Palermo & Torino, 138-143.

Pérez-Clarós, J., Palmqvist, P. & Olóriz, F. (2001). First and second orders of suture complexity in ammonites, a new methodological approach using fractal analysis. *Mathematical Geology* 34, 3, 323-343.

2003

Company, M., Aguado, R., Jiménez de Cisneros, C., Sandoval, J., Tavera, J.M., Vera, J.A. (2003). Biotic changes at the Hauterivian/Barremian boundary in the Mediterranean Tethys. *International Conference on Bioevents*, Field-trip guide, pp. 15- 28. Company, M., Sandoval, J., Tavera, J.M. (2003). Ammonite biostratigraphy of the uppermost Hauterivian in the Betic Cordillera (SE Spain). *Geobios* 36, 685-694.

Gea, G.A. de, Castro, J.M., Aguado, R., Company, M. (2003). Lower Aptian carbon isotope stratigraphy from a distal carbonate shelf setting, the Cau section, Prebetic Zone, SE Spain. *Palaeogeography, Palaeoclimatology, Palaeoecology* 200, 207-219.

Hoedemaeker, P.J., Reboulet, S., Aguirre-Urreta, M.B., Alsen, P., Aoutem, M., Atrops, F., Barragan, R., Company, M., González-Arreola, C., Klein, J., Lukeneder, A., Ploch, I., Raisossadat, N., Rawson, P.F., Ropolo, P., Vašíček, Z., Vermeulen, J., Wippich, M. (2003). Report on the 1st International Workshop of the IUGS Lower Cretaceous Ammonite Working Group, 'the Kilian Group' (Lyon, 11 July 2002). *Cretaceous Research* 24, 89-94.

Olóriz, F., Reolid, M. & Rodríguez-Tovar, F.J. (2003). A Late Jurassic Carbonate Ramp Colonized by Sponges and Benthic Microbial Communities (External Prebetic, soothern Spain). *Palaios* 18, 528-545.

Olóriz, F., Reolid, M. & Rodríguez-Tovar, F.J. (2003). Palaeogeographic and stratigraphic distribution of Mid-Late Oxfordian foraminiferal assemblages in the Prebetic Zone (Betic Cordillera,southern Spain). *Geobios* 36, 6, 733-748.

Olóriz, F., Villaseñor, A.B. & González-Arreola, C. (2003). Major lithostratigraphic units in land-outcrops in north-central Mexico and the subsurface of the northern rim of the Gulf of

Mexico Basin (Upper Jurassic-lowermost Cretaceous), a proposal for tectono-eustatic sequences. *Journal of South American Earth Sciences* 16, 3, 119-142.

Villaseñor, A.B., Olóriz, F. & González-Arreola, C. (2003). First record of the genus *Simocosmoceras* Spath, 1925, Ammonitina, in Mexico. Biostratigraphic and paleobiogeographic interpretation. *GFF* 125, 49-56.

2004

Company, M., Sandoval, J. & Tavera, J.M. (2004). El Barremiense de Fontcalent y l'Alcoraia. *Geotemas* 7, 217-221. Olóriz, F., Reolid, M. & Rodríguez-Tovar, F.J. (2004). Microboring and taphonomy in Middle Oxfordian to lowermost Kimmeridgian (Upper Jurassic) from the Prebetic Zone (southern Iberia). *Palaeogeography, Palaeoclimatology, Palaeoecology* 212, 181-197.

Olóriz, F., Reolid, M. & Rodríguez-Tovar, F.J. (2004). Microbial encrustations from the Middle Oxfordian – earliest Kimmeridgian lithofacies in the Prebetic Zone (Betic Cordillera, southern Spain), characterization, distribution and controlling factors. *Facies* 50, 3-4, 529-543.

Olóriz, F., Reolid, M. & Rodríguez-Tovar, F.J. (2004). Taphonomy of ammonite assemblages from the Middle-Upper Oxfordian (Transversarium? - Bifurcatus zones) in the Internal Prebetic (Betic Cordillera, southern Spain), Taphonomic populations and Taphofacies to support Ecostratigraphic Interpretations. *Rivista Italiana di Paleontología e Stratigrafia* 110, 1, 239-248.

Pavia, G., Lanza, R., Lozar, F., Martire, L., Olóriz, F. & Zanella, E. (2004). Integrated stratigraphy from the Contrada Fornazzo section, Monte Inici, W Sicily, A tool for definition of the Tithonian stage boundary. *Rivista Italiana di Paleontología e Stratigrafia* 110, 1, 329-338.

Ruiz-Ortiz, P.A., Company, M., de Gea, G.A., Martín-Algarra, A., Molina, J.M., Nieto, L.M., Rey, J., Vera, J.A. (2004). Evolución sedimentaria y paleogeográfica del Subbético, Ciclo IV. *Geología de España*, pp. 381-385.

Sandoval, J., Company, M. & Tavera, J.M. (2004). La sección de río Argos-1 (Caravaca, Murcia), posible estratotipo global del límite Hauteriviense-Barremiense. *El Patrimonio geológico, cultura, turismo y medio ambiente*, pp. 275-282.

Vilas, L., Arias, C., Castro, J.M., Company, M., García-Hernández, M., de Gea, G.A. & Ruiz-Ortiz, P.A. (2004). Evolución sedimentaria y paleogeográfica del Prebético, Ciclo IV. *Geología de España*, pp. 368-369.

Vilas, L., Castro, J.M., Martín-Chivelet, J., Company, M., Ruiz-Ortiz, P.A., Arias, C., Chacón, B., de Gea, G.A. & Estévez, A. (2004). El Prebético del sector oriental. *Geología de España*, pp. 361-363.

Villaseñor, A.B., Olóriz, F. & López-Palomino, I. (2004). Inner whorls of *Gregoryceras* (Ammonitina, Peltoceratinae) in Mexico as the first occurrence of the genus in Mexico. *Rivista Italiana di Paleontología e Stratigrafia* 110, 1, 249-254.

2005

Boughdiri, M., Oloriz, F., Lopez-Marques, B., Layeb, M., De Matos, J. & Sallouhi, H. (2004). Upper Kimmeridgian and Tithonian ammonites from the Tunisian « Dorsale » (NE Tunisia),

updated biostratigraphy from the Jebel Oust. *Rivista Italiana di Paleontología e Stratigrafia* 111, 2, 305-316.

Company, M., Aguado, R., Sandoval, J., Tavera, J.M., Jiménez de Cisneros, C., Vera, J.A. (2005). Biotic changes linked to a minor anoxic event (Faraoni Level, latest Hauterivian, Early Cretaceous). *Palaeogeography, Palaeoclimatology, Palaeoecology* 224, 186-199.

Company, M., Sandoval, J., Tavera, J.M., Aguado, R. & O'Dogherty, L. (2005). La sección de Río Argos (Caravaca, Murcias), referente global para el estudio del límite Hauteriviense-Barremiense (Cretácico inferior). Geociencias, recursos y patrimonio geológicos, pp. 129-134.

2006

Company, M., Fózy, I., Sandoval, J., Tavera J.M. (2006). *Deitanites* n. g. and other related ammonites. Their significance within the family Holcodiscidae (Lower Cretaceous, Mediterranean region). *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte* 2006, 1-14.

López-Palomino, R.I., Villaseñor, A.B. & Olóriz, F. (2006). Primer registro del género *Vinalesphinctes* (Ammonitina) en el Oxfordiano de México, Significación bioestatigráfica y consideraciones paleobiogeográficas en el Jurásico Superior de América. *Revista Mexicana de Ciencias Geológicas* 23, 162-183.

Olóriz, F. & Villaseñor, A.B. (2006). Ceratosphinctes (Ammonitina, Kimmeridgian) in Mexico, from rare but typical inhabitant of west-Tethyan epioceanic and epicontinental waters to a geographically widespread ammonite genus. *Geobios* 39, 255-266.

Olóriz, F., Bougħdiri, M. & Marques, B. (2006). Remarks on relative phenotype stability in two Tithonian ammonite species first described from the Tunisian Dorsale – a preliminary approach to interpreting metapopulation dynamics in ammonites. *Neues Jahrbuch für Geologie und Paläontologie* 241, 2, 287-302.

Olóriz, F., Reolid, M. & Rodríguez-Tovar, F.J. (2006). Approaching trophic structure in Late Jurassic neritic shelves, a western Tethys example from southern Iberia. *Earth- Sciences Reviews* 79, 101-139.

Pardo-Igúzquiza, E. & Rodríguez-Tovar, F.J. (2006). Maximum entropy spectral analysis of climatic time series revisited: assessing the statistical significance of estimated spectral peaks. *Journal of Geophysical Research – Atmospheres* 111, doi: 10.1029/2005JD006293

Rodríguez-Tovar, F.J. & Delgado, J. (2006). Cuantificación del grado de consolidación del substrato: Aplicación en análisis icnológicos. *Ameghiniana* 43, 503-508.

Rodríguez-Tovar, F.J., Martínez-Ruiz, F. & Bernasconi, S.M. (2006). Use of high-resolution ichnological and stable isotope data for assessing completeness of a K-P boundary section, Agost, Spain. *Palaeogeography, Palaeoclimatology, Palaeoecology* 237, 137-146.

Rodríguez-Tovar, F.J. & Uchman, A. (2006). Ichnological analysis of the Cretaceous-Palaeogene boundary interval at the Caravaca section, SE Spain. *Palaeogeography, Palaeoclimatology, Palaeoecology* 242, 313-325.

Reboulet, S., Hoedemaeker, P.J., Aguirre-Urreta, M.B., Alsen, P., Atrops, F., Baraboshkin, E.Y., Company, M., Delanoy, G., Dutour, Y., Klein, J., Latil, J.L., Lukeneder, A., Mitta, V.,

Mourges, F.A., Ploch, I., Raisossadat, N., Ropolo, P., Sandoval, J., Tavera, J.M., Vašíček, Z. & Vermeulen, J. (2006). Report on the 2nd international meeting of the IUGS lower Cretaceous ammonite working group, the "Kilian Group" (Neuchâtel, Switzerland, 8 September 2005). *Cretaceous Research* 27, 712-715.

Villaseñor, A.B. & Olóriz, F. (2006). Ontogeny in a macroconchiate *Idoceras* from Mexico: a key for interpreting suprageneric classification of genus *Idoceras* based on phenotype expression. VII International Symposium on the Jurassic System, Abstracts 245-246.

2007

Aguirre, J., Company, M. & Rodríguez-Tovar, F.J. (Eds.) (2007). *XXIII Jornadas de la Sociedad Española de Paleontología*, Guía de Excusiones, 69 pp.

Braga, J.C., Checa, A. & Company, M. (Eds.) (2007). *XXIII Jornadas de la Sociedad Española de Paleontología*, Libro de Resúmenes, 236 pp.

Company, M., Aguado, R., Sandoval, J. & Tavera J.M. (2007). El evento anóxico Faraoni (Hauteriviano superior) en el río Argos (Caravaca, SE de España), posibles causas y efectos. *XXIII Jornadas de la Sociedad Española de Paleontología*, Guía de Excusiones, pp. 19-32.

Jiménez-Moreno, G., Aziz, H.A., Rodríguez-Tovar, F.J., Pardo-Igúzquiza, E. & Suc, J.-P. (2007). Palynological evidence for astronomical forcing in Early Miocene lacustrine deposits from Rubielos de Mora Basin (NE Spain). *Palaeogeography, Palaeoclimatology, Palaeoecology* 252, 601-626.

Klein, J., Busnardo, R., Company, M., Delanoy, G., Kakabadze, M., Reboulet, S., Ropolo, P., Vašíček, Z. & Vermeulen, J. (2007). Fossilium Catalogus I, Animalia, Pars 144, Lower Cretaceous Ammonites III, Bochianitoidea, Protacyloceratoidea, Ancyloceratoidea, Ptychoceratoidea. 381 pp. Moreno, J.A., Company, M., Delanoy, G., Grauges, A., Martínez, G., Salas, R. (2007). Precisiones sobre la edad, mediante ammonoides y nautiloides, de la Fm. Margas del Forcall en la subcuenca de Oliete (Cadena Ibérica, España). *Geogaceta* 42, 75-78.

López-Caballero, I., Villaseñor, A.B. & Olóriz, F. (2007). Sobre una asociación de ammonites del Jurásico Superior (Tithonico) de Mazatepec, Puebla, Mexico. *4th European Meeting on the Paleontology and Stratigraphy of Latin America*. IGME, Cuadernos del Museo Geominero 8, 254-259.

Moreno, J.A., Company, M. & Tomás, S. (2007). Ammonoideos del Hauteriviano inferior de Torre Endoménech (Castellón). *Batalleria* 13, 655-668.

Pérez-Claros, J., Olóriz, F. & Palmqvist, P. (2007). Sutural complexity in late Jurassic ammonites and its relationship with phragmocone size and shape, a multidimensional approach using fractal analysis. *Lethaia* 40, 253-272.

Rodríguez-Tovar, F.J., Pérez-Valera & Pérez-López, A. (2007). Ichnological analysis in high-resolution sequence stratigraphy: The *Glossifungites* ichnofacies in Triassic successions from the Betic Cordillera (southern Spain). *Sedimentary Geology* 198, 293- 307.

2008

Aguirre, J., Braga, J.C., Checa, A., Company, M. & Rodríguez-Tovar, F.J. (Eds.) (2008). *Taphos'08*, Abstract volume, 111 pp.

Company, M., Sandoval, J., Tavera, J.M., Aoutem, M. & Ettachfini, M. (2008). Barremian ammonite faunas from the western High Atlas, Morocco - biostratigraphy and palaeobiogeography. *Cretaceous Research* 29, 9-26.

Hemanta Sinhg, R., Rodríguez-Tovar, F.J. & Ibotombi, S. (2008). Trace fossils of the Upper Eocene-Lower Oligocene Transition of the Manipur, Indo-Myanmar Ranges (Northeast India). *Turkish Journal of Earth Sciences*, 17, 821-834.

Moreno-Bedmar, J.A., Bover-Arnal, T., Salas, R. & Company, M. (2008). The early Aptian oceanic anoxic event in the Maestrat Basin (NE Iberian Chain). *Geo-Temas* 10, 159-162.

Olóriz, F., Reolid, M. & Rodríguez-Tovar, F.J. (2008). Taphonomy of fossil macroinvertebrate assemblages for improving ecostratigraphy, Shifting eco-sedimentary conditions from carbonate to carbonate-siliciclastic shelf during the early Late Jurassic (Prebetic Zone, southern Spain). *Geobios* 41, 31-42.

Olóriz, F., Villaseñor, A.B. & López-Palomino, C.I. (2008). Middle Oxfordian ammonites from the lower part of the Santiago Formation at the type-section, Moctezuma River, Taman, San Luis Potosí (Mexico). *Revista Mexicana de Ciencias Geológicas* 25, 2, 261-283.

Ortiz, S., Gonzalvo, C., Molina, E., Rodríguez-Tovar, F.J., Uchman, A., Vandemberghe, N. & Zeelmaekers, E. (2008). Palaeoenvironmental turnover across the Ypresian-Lutetian transition at the Agost section, southern Spain: in search of a marker event to define the Stratotype of the base of the Lutetian Stage. *Marine Micropaleontology* 69, 297-313.

Reolid, M., Nagy, J., Rodríguez-Tovar, F.J. & Olóriz, F. (2008). Foraminiferal assemblages as palaeoenvironmental bioindicators in Late Jurassic epicontinental platforms. Relation with trophic conditions. *Acta palaeontologica Polonica* 53, 4, 705- 722.

Reolid, M., Rodríguez-Tovar, F.J., Nagy, J. & Olóriz, F. (2008). Benthic foraminiferal morphogroups of mid to outer shelf environments of the late Jurassic (Prebetic Zone, southern Spain), Characterization of biofacies and environmental significance. *Palaeogeography, Palaeoclimatology, Palaeoecology* 261, 280-299.

Rodríguez-Tovar, F.J. & Pérez-Valera (2008). Trace fossil *Rhizocorallium* from the Middle Triassic of the Betic Cordillera, southern Spain: Characterization and environmental implications. *Palaeos* 23, 78-86.

Rodríguez-Tovar, F.J., Puga-Bernabéu, A. & Bautois, L. (2008). Large burrow systems in marine Miocene deposits of the Betic Cordillera (Southeast Spain). *Palaeogeography, Palaeoclimatology, Palaeoecology* 268, 19-25.

Rodríguez-Tovar, F.J. & Uchman, A. (2008). Bioturbational disturbance of the Cretaceous-Palaeogene (K-Pg) boundary layer: Implications for the interpretation of the K-Pg boundary event. *Geobios* 41, 661-667.

Uchman, A., Bak, K. & Rodríguez-Tovar, F.J. (2008). Ichnological record of deep-sea palaeoenvironmental changes around the Oceanic Anoxic Event 2 (Cenomanian- Turonian boundary): an example from the Barnasiówka section, Polish Outer Carpathians. *Palaeogeography, Palaeoclimatology, Palaeoecology* 262, 61-71.

Villaseñor, A.B. & Olóriz, F. (2008). Caribbean Lower tithonian ammonites from central-east Mexico. *Geobios* 42, 117-132.

2009

Cobiella-Reguera, J.L. & Olóriz, F. (2009). Oxfordian – Berriasian stratigraphy of the North American paleomargin in western Cuba, Constraints for the geological history of the proto-Caribbean and the early Gulf of Mexico. In, J. R. Gaxiola, R. S. Montes de Oca, J. R. R. Ramos, C. Bartolini, and A. Cantú-Chapa (eds.), *The petroleum geology of Mexico*. AAPG Memoir 90, Chapter 19, 421-451.

Coimbra, R., Immenhauser, A. & Olóriz, F. (2009). Matrix micrite $\delta^{13}\text{C}$ and $\delta^{18}\text{O}$ reveals synsedimentary marine lithification in Upper Jurassic Ammonitico Rosso limestones (Betic Cordillera, SE Spain) – implications for interpreting matrix micrite. *Sedimentary Geology* 219, 332-348.

Moreno-Bedmar; J.A., Company, M., Bover-Arnal, T., Salas, R., Delanoy, G., Martínez, R. & Grauges, A. (2009). Biostratigraphic characterization by means of ammonoids of the lower Aptian Oceanic Anoxic Event (OAE 1a) in the eastern Iberian Chain (Maestrat Basin, eastern Spain). *Cretaceous Research* 30, 864-872.

Moliner, M. & Olóriz, F. (2009). Correlation potential of Lower Kimmeridgian Platynota Zone deposits in northeast Spain. *GFF (Special Volume "Jurassic Climate and Biodiversity")* 131, 1, 205-213.

Moliner, M. & Olóriz, F. (2009). Updated biostratigraphy of Jurassic (Lower Kimmeridgian) deposits containing the ammonite *Ataxioceras* from the eastern Iberian Range, northeastern Spain. *GFF (Special Volume "Jurassic Climate and Biodiversity")* 131, 1, 195-202.

Moreno-Bedmar, J.A., Ramírez, L., Company, M., Delanoy, G., Bover-Arnal, T., Bulot, L.G., Latil.J.L. & Salas, R. (2009). Bioestratigrafía de los ammonites de Can Casanyes, macizo de Garraf (Barcelona, España). *Batalleria* 14, 91-98.

Nagy, J., Reolid, M. & Rodríguez-Tovar, F.J. (2009) Foraminiferal morphogroups in dysoxic shelf deposits from the Jurassic of Spitsbergen. *Polar Research* 28, 214-221.

Olóriz, F. & Rodríguez-Tovar, F.J. (2009). "Cefalópodos". In, M.L. Martínez Chacón y P. Rivas (eds.), *Paleontología de invertebrados*, S.E.P., 300-361.

Reboulet, S., Klein, J., Barragán, R., Company, M., González-Arreola, C., Lukeneder, A., Raisossadat, S.N., Sandoval, J., Szives, O., Tavera, J.M., Vašíček, Z. & Vermeulen, J. (2009). Report on the 3rd International Meeting of the IUGS Lower Cretaceous Ammonite Working Group, the "Kilian Group" (Vienna, Austria, 15th April 2008). *Cretaceous Research* 30, 496-502.

Rodríguez-Tovar, F.J. & Martín Peinado, F.J. (2009). The environmental disaster of Aznalcóllar (southern Spain) as an approach to the Cretaceous-Palaeogene mass extinction event. *Geobiology* 7, 533-543.

Rodríguez-Tovar, F.J., Uchman, A. & Martín Algarra, A. (2009) Oceanic Anoxic Event at the Cenomanian-Turonian boundary interval (OAE-2): ichnological approach from the Betic Cordillera, southern Spain. *Lethaia* 42, 407-417.

Rodríguez-Tovar, F.J., Uchman, A., Martín-Algarra, A. & O'Dogherty, L. (2009). Nutrient spatial variation during intrabasinal upwelling at the Cenomanian-Turonian oceanic anoxic event in the westernmost Tethys: an ichnological and facies approach. *Sedimentary Geology* 215, 83-93.

Villaseñor, A. B. & Olóriz, F. (2009). Caribbean Lower Tithonian ammonites from central-east Mexico. Paleobiogeographic implications. *Geobios* 42:117-132

2010

Coimbra, R. & Olóriz, F. (2010). Epioceanic depositional setting and skeletals from a cephalopod limestone (Betic Cordillera, SE Spain), a geochemical approach. *Earth Science Frontiers* 17, 297-299.

Company, M., Sandoval, J. & Tavera, J.M. (2010). Revisión de las especies de ammonites del Barremiense de La Querola (Cocentaina, SE de España) descritas por R. Nicklès (1890-94). *Isurus* 3, 18-26.

López-Palomino, R.I., Villaseñor, A.B. & Olóriz, F. (2010). Corrección / *Corrigendum* Corrección a Primer registro del género *Vinalesphinctes* (Ammonitina) en el Oxfordiano de México, Significación bioestratigráfica y consideraciones paleobiogeográficas en el Jurásico Superior de América. *Rev. Mex. Cienc. Geol.*, 23, 162-183, *Revista Mexicana de Ciencias Geológicas* 28, 1, 201.

Martín Peinado, F.J. & Rodríguez-Tovar, F.J. (2010). Mobility of iridium in terrestrial environments, implications for the interpretation of impact-related mass-extinctions. *Geochimica et Cosmochimica Acta* 74, 4531-4542.

Moliner, L. & Olóriz, F. (2010). Lower Kimmeridgian biostratigraphy and correlation in the NE Iberian Chain (Spain) based on Ataxioceratinae ammonites. *Earth Science Frontiers* 17, 114-116.

Moliner, L. & Olóriz, F. (2010). New Lower Kimmeridgian ataxioceratin ammonites from the eastern Iberian Chain, E-NE Spain. Systematic, biogeographic and biostratigraphic relevance. *Acta Paleontologica Polonica* 55, 1, 99-110.

Moreno-Bedmar, J.A., Company, M., Bover-Arnal, T., Salas, R., Delanoy, G., Maurrasse F.J.M.R., Grauges, A. & Martínez, R. (2010). Lower Aptian ammonite biostratigraphy in the Maestrat Basin (Eastern Iberian Chain, Eastern Spain). A Tethyan transgressive record enhanced by synrift subsidence. *Geologica Acta* 8, 281-299.

Olóriz, F. & Villaseñor, A.B. (2010). Ammonite biogeography, from descriptive to dynamic, ecological interpretations. In, Tanabe, K., Shigeta, Y., Sasali, T & Hirano, H. (eds.), *Cephalopods Present & Past*, Tokai University Press, 253-265.

Olóriz, F., Villaseñor, A.B. & Grajales-Nishimura, J.M. (2010). New finding of genus *Gregoryceras* SPATH 1924 (Ammonitina) from SE México, Veracruz. In, (J.L. Ruiz-Omeñaca, L. Piñuela & J.C. García-Ramos (eds.), *Comunicaciones del V Congreso del Jurásico de España*, Museo del Jurásico de Asturias (MUJA), Colunga, 112-114.

Pruner, P., Houša, V., Olóriz, F., Košťák, M., Krs., M., Man, M., Schnabl, P., Venhodová, D., Tavera, J.M. & Mazuch, M. (2010). High-resolution magnetostratigraphy and biostratigraphic zonation of the Jurassic/Cretaceous boundary strata in the Puerto Escaño section (S Spain). *Cretaceous Research* 31, 192- 206.

Rodríguez-Tovar, F.J. (2010). Ichnological Analysis and Sequence Stratigraphy Research, Present-Day and Prospective. *Memoir Geological Society of India* 75, 99- 114.

Rodríguez-Tovar, F.J. & Uchman, A. (2010). Ichnofabric evidence for the lack of bottom anoxia during the Lower Toarcian Oceanic Anoxic Event (T-OAE) in the Fuente de la Vidriera section, Betic Cordillera, Spain. *Palaios* 25, 576-587.

Rodríguez-Tovar, F.J., Morgado, A. & Lozano, J.A. (2010). Using Ichnofossils to Characterize Chert Tools, A Preliminary Study from Southern Iberia. *Geoarchaeology* 25, 514-526.

Rodríguez-Tovar, F.J., Morgado, A. & Lozano, J.A. (2010). Ichnological analysis, a non-destructive tool in archaeology. *Lethaia* 43, 587-590.

Reolid, M., Nagy, J. & Rodríguez-Tovar, F.J. (2010). Ecostratigraphic trends of Jurassic agglutinated foraminiferal assemblages as a response to sea-level changes in shelf deposits of Svalbard (Norway). *Palaeogeography, Palaeoclimatology, Palaeoecology* 293, 184-196.

Rodríguez-Tovar, F.J., Reolid, M. & Pardo-Igúzquiza, E. (2010). Título, Planktonic versus benthic foraminifera response to Milankovitch forcing (Late Jurassic, Betic Cordillera), Testing methods for cyclostratigraphic analysis. *Facies* 56, 459-470.

Rodríguez-Tovar, F.J., Uchman, A., Molina, E. & Monechi, S. (2010). Bioturbational re-distribution of Danian calcareous nannofossils in the uppermost Maastrichtian across the K-Pg boundary at Bidart, SW France. *Geobios* 43, 569-579.

Rodríguez-Tovar, F.J., Uchman, A., Payros, A., Orue-Etxebarria, X., Apellaniz, E. & Molina, E. (2010). Sea-level dynamics and palaeoecological factors affecting trace fossil distribution in Eocene turbiditic deposits (Gorrondatxe section, N Spain). *Palaeogeography, Palaeoclimatology, Palaeoecology* 285, 50-65.

Vermeulen, J., Company, M., Sandoval, J. & Tavera, J.M. (2010). Sur deux espèces nouvelles d'ammonites de l'Hauterivien supérieur du sud-est de l'Espagne. *Annales du Muséum d'Histoire Naturelle de Nice* 25, 93-104.

Villaseñor, A.B. & Olóriz, F. (2010). Biomarkers for a widespread Tethyan flooding on Mexican shelves during the Early Tithonian. *Earth Science Frontiers* 17, 294-296.