

Lista de publicaciones del Grupo de Investigación RNM 0178:
"Evolución de los márgenes mesozoicos de Iberia".

Publicaciones 1997-2000

Aguado, R. & Rey, J. (1997): Palaeogeographic context of the Burdigalian basins northeast of Velez-Rubio (External Zones of the Betic Cordilleras, SE Spain). *Bull. Soc. geol. Fr.*, 168, 1, 25

Caracuel, J.E., Olóriz, F. & Sarti, C. (1997): Environmental evolution during the Late Jurassic at Lavarone (Trento Plateau, Italy). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 135, 163-177.

Checa, A. & Cadée, G.C. (1997): The ligament of *Mya arenaria* (Myoidea) revisited. : *J. Mar. Biol. Ass. UK*, 77, 1231-1233

Checa, A. & Cadée, G.C. (1997): Hydraulic burrowing in the bivalve *Mya arenaria* Linnaeus (Myoidea) and associated ligamental adaptations. *Revista: J. Moll. Stud.*, 63, 157

Checa, A., Company, M., Sandoval, J. & Weitschat, W. (1997): Covariation of morphological characters in the Triassic ammonoids *Czekanowskites rieberi*. *Lethaia*, 29, 225-235

Checa, A. Jiménez-Jimenez, A.P. (1997) : Regulation of spiral growth in planorbid gastropods. *Lethaia*, 30, 257-269.

Olóriz, F., Palmqvist, P. & Pérez-Claros, J.A. (1997): Shell features, main colonized environments, and fractal analysis of sutures in Late Jurassic ammonites. *Lethaia*, 30, 191-204.

Olóriz, F., Villaseñor, B. & González-Arreola, C. (1997): Factors controlling Upper Jurassic ammonite assemblages in North-Central Mexico. *Lethaia*, 30, 337-351.

Checa, A. & Jiménez-jimenez, A.P. (1998) : Constructional morphology, origin, and evolution of the gastropods operculum. *Paleobiology*, 24, 1, 109-132.

Ettachfini, M., Company, M., Rey, J., Taj-Eddine, K. & Tavera, J.M. (1998): Le Valanginien du bassin de Safi (Maroc Atlantique) et sa faune d' ammonites. Implications paleogeographiques. *C.R. Acad. Sci. Paris*, 327, 319-325.

Marques, B., Olóriz, F. & Rodríguez-Tovar, F.J. (1998): La limite Oxfordien/Kimmeridgien établie par une espèce index d' ammonites (*Sutneria*) (Algarbe, Portugal). *C.R. Acad. Sci. Paris*, 326, 641-645.

Myzycynski, R., Olóriz, F. & Villaseñor, A.B. (1998): Revised biostratigraphy and correlations of the Middle-Upper Oxfordian in the Americas (southern USA, Mexico, Cuba, and northern Chile). *N. Jb. Geol. Palaont., Abh.*, 207, 2, 185-206.

Olóriz, F. & Rodríguez-Tovar, F.J. (1998): Multifactorial control on deposition of epicontinental hemipelagic carbonates during the earliest Kimmeridgian (Prebetic Zone, southern Spain). *Sedimentary Geology*, 119, 123-139.

Olóriz, F. & Westermann, G.E.G. (1998): The perisphinctid ammonite *Sulaites* n. gen. From the Upper Jurassic of the Indo-southwest Pacific. *Alcheringa*, 22, 231, 240.

Olóriz, F. & Villaseñor, A.B. & González-Arreola, C. (1998): Re-evaluation of *Procraspedites* Spath, 1930 (*Ammonitina*) from the upper Kimmeridgian of Mexico. *Bull. Soc. geol. Fr.*, 169, 2, 243-254.

Olóriz, F., Marques, B. & Caracuel, J.E. (1998): The Middle-Upper Oxfordian of central Sierra Norte (Mallorca, Spain), and progressing ecostratigraphic approach in western Tethys. *Geobios*, 31,3, 319-336.

Aguado, R., Castro, J.M., Company, M. & De Gea, G.A. (1999): Aptian bio-events - and integrated biostratigraphic análisis of the Almadich Fm., Inner Prebetic Domain, SE Spain. *Cretaceous Research*, 20, 663-683.

Carcauel, J.E. & Olóriz, F. (1999): Recent data on the Kimmeridgian-Tithonia boundary in the Sierra Norte of Mallorca (Spain), which notes on the genus *Hybonoticer* Breistroffer. *Geobios*, 32,4, 575-591.

Housa, V., Krs, M., Prunner, P., Mann, O., Venhodova, D., Cecca, F., Nardi, Gi., Piscitello, M., Olóriz, F. & Tavera, J.M. (1999): Magnetostratigraphy and micropaleontology across the J/K boundary strata in the Tethyan Realm. *Geológica Carpathica*, 50, 33

Molina, J.M., O'Dogherty, L., Sandoval, J. & Vera, J.A. (1999): Jurassic radiolarites in a Tethyan continental margin (Subbetic, southern Spain): palaeobathymetric and biostratigraphic considerations. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 150, 309-330.

Olóriz, F. & Villaseñor, A.B. (1999): New microconchiate *Hybonoticer* from Mexico. *Geobios*, 32,4, 561-573.

Aguado, R., Company, M. & Tavera, J.M. (2000): The Berriasian/Valanginian boundary in the Mediterranean region: new data from the Caravaca and Cehegin sections, SE Spain. *Cretaceous Research*, 21, 1-21.

Carcauel, J.E., Monaco, P. & Olóriz, F. (2000): Taphonomic tools to evaluate sedimentation rates and stratigraphic completeness in rosso ammonitico facies (epioceanic Tethyan Jurassic). *Riv. Ital. Paleont. Strat.*, 106, 3

Checa, A. (2000): Remote biomineralization in divaricate ribs of *Strigilla* and *Solecurtus* (Tellinoidea: Bivalvia). *J. Moll. Stud.*, 66, 457-466.

Checa, A. (2000): A new model for periostracum and shell formation in Unionidae (Bivalvia, Mollusca). *Tissue & Cell*, 32,5, 405-416.

Checa, A. & García-Ruiz, J.M. (2000): Discussion: the development of ammonoid septa: an epithelial invagination process controlled by morphogens or by viscous-fingering?. *Historical Biology*, 14, 299-303.

Checa, A. & Rodríguez-Navarro, A. (2000): Geometric and crystallographic constraints determine the self-organization of shell microstructures in Unionidae (Bivalvia, Mollusca). *The Royal Society Proceedings: Biological Sciences* (in press)

De la Mora, A., Olóriz, F. & González-Arreola, C. (2000): "Autochthonous" bivalve assemblages and paleoecology interpretation in the Upper Jurassic-lowermost Cretaceous La Caja Formation from the Cañon de San Matias (Zacarecas, Mexico). *C.R. Acad. Sci. Paris*, 331, 741-747.

Kullberg, J., Olóriz, F., Marques, B., Caetano, P.S. & Rocha, R.B. (2000): Flat-pebble conglomerates. A local marker for syn-rift tectonics in the Sesimbra area (Lusitanian Basin, Portugal). *Sedimentary Geology*,

O'Dogherty, L., Martín-Algarra, A., Gursky, H.J. & Aguado, R. (2000): The Middle Jurassic radiolarites and pelagic limestones of the Nieves Unit (Rondaide Complex, Betic Cordillera): basin starvation in a rifted marginal slope of the western Tethys. *Int. J. Earth Sci.* [in HTML, on line 19 Oct.]

O'Dogherty, L., Sandoval, J. & Vera, J.A. (2000): Ammonite faunal turnover tracing sea-level changes during the Jurassic (Betic Cordillera, southern Spain). *Journal Geol. Soc. London*, 157, 723-736.

Olóriz, F. (2000): Time-Averaging and long-term palaeoecology in microinvertebrate fossil

assemblages with ammonites (Upper Jurassic). *Revue paleobiol.*, 8, 123-140.

Olóriz, F. & Rodríguez-Tovar, F.J. (2000): Diplocraterion: A useful marker for sequence stratigraphy and correlation in the Kimmeridgian Jurassic (Prebetic Zone, Betic Cordillera, southern Spain). *Palaios*, 15, 544-550.

Olóriz, F., Villaseñor, A.B. & González-Arreola, C. (2000): Geographic control on phenotype expression. The case of *Hybonoticeras mundulum* (Oppel) from the Mexican Altiplano. *Lethaia*, 33, 157-174.

Olóriz, F., Villaseñor, A.B. & González-Arreola, C. (2000): Major lithostratigraphic Units in land-outcrops in north-central Mexico and the subsurface of the northern rim of the Gulf of Mexico Basin (Upper Jurassic-lowermost Cretaceous): a proposal for correlation of tectonic-eustatic sequences. *Jour. South Amer. Earth Sci.* (in press).

Pardo-Iguzquiza, E. & Rodríguez-Tovar, F.J. (2000): The permutation test as a non-parametric method for testing the statistical significance of power spectrum estimation in cyclostratigraphic research. *Earth Planet. Sci. Letters*, 181, 175-189.

Pardo-Iguzquiza, E., Schwarzacher, W. & Rodríguez-Tovar, F. (2000): A library of computer programs for assisting teaching and research in cyclostratigraphic analysis. *Computers & Geosciences*, 26, 723-740.

Sandoval, J. & Schandler, R.B. (2000): The sonninid ammonite *Euhoplloceras* from the middle Jurassic of south-west England and southern Spain. *Palaeontology*, 43, 3, 495-532.